







INDUSTRIAL MOTORISED SIREN

5S

Mechanical Warning Siren

AUSTRALIAN DESIGNED & MANUFACTURED






 <p>Up to 5 km Effective range</p>	 <p>130 dB(A) Sound Output @ 1m</p>	 <p>Continuous Duty cycle</p>	 <p>Aluminium Construction</p>	 <p>IP56 Protection</p>	 <p>Global Delivery</p>
--	---	---	--	---	---

PRODUCT OVERVIEW


The Sirenco 5S is a high-performance mechanical warning siren engineered for reliable long-range audible signalling in demanding industrial environments. Designed and manufactured in Australia, the 5S combines high acoustic output, continuous duty operation and robust aluminium construction for civil defence, mining, utilities and critical infrastructure.

TYPICAL APPLICATIONS



ENGINEERING DRAWING

240V / 415V OPTIONS



SPECIFICATION DATA

PERFORMANCE	
Sound output	130 dB(A) @ 1m
Effective range	Up to 5 km
Frequency	560 Hz
Duty cycle	Continuous
CONSTRUCTION	
Construction	Aluminium fabrication
IP rating	IP56
Operation	Horizontal and level
Mounting	Base / pole mount
DIMENSIONS	
Dimensions	410 x 400 x 460 mm
Weight	39 kg
Packaging size	50 x 50 x 55 cm
Shipping weight	50 kg
Mounting centres	220 x 200 mm

ELECTRICAL OPTIONS

240V Single Phase	
PART NUMBER: S5S230	
Voltage	Frequency
220/240V	50/60 Hz
Phase	Running current
Single Phase	6 A
Starting current	
On request	

415V Three Phase	
PART NUMBER: S5S400	
Voltage	Frequency
380/415V	50/60 Hz
Phase	Running current
Three Phase	2.2 A
Starting current	
On request	

ORDERING INFORMATION

Part Number	Model	Voltage	Frequency	Phase
S5S230	5S	220/240V	50/60 Hz	Single Phase
S5S400	5S	380/415V	50/60 Hz	Three Phase